



2HP, 460V with 3Ph Power Down Feed | JDP-20EVST-460-PDF

Product Images



Description

Accuracy, stability and versatility are the benchmark features of the JET 20" Drill Presses. This high-quality line of JET Drill Presses offer a greater range in spindle speeds than other machines of this class. The spindle head is supported by high quality ball bearings. Designed to permit continuous speed adjustment - even during operation. Forward and reverse tapping capabilities, an emergency stop, and a heavy-duty casted head are but a few of the features JET includes to enhance overall use and accuracy. JET backs their machines with the industry leading Two Year Warranty and are CSA/CUS Certified.

Additional Information

SKU	354246
Base Dimensions (In.)	27 x 19
Base Size (In.)	27 x 19
Column Diameter (In.)	4-1/2
Distance Column to Spindle (In.)	10-7/16
Drilling Capacity Mild Steel (In.)	2
Drills to Center of Circle (In.)	20
Gross Weight (Lbs)	847
Inverter Type	B Type 230V 3Ph
Motor (HP)	2 HP, 460V 3ph
Motor Phase	3
Motor Power (HP)	2
Motor Voltage (V.)	460
Net Weight (Lbs.)	808
Overall Dimensions (L x W x H) (In.)	42.5 x 27.16 x 78.74
Prewired Voltage (V.)	460
Prop 65	Cancer and Reproductive Harm
Quill Travel w/ Powerfeed Engaged (In.)	6
Range of Spindle Speeds (RPM)	60 - 2,000(60-540/225-2000)
Spindle Distance to Base (In.)	44.68
Spindle Distance to Table (Max.) (In.)	25.5
Spindle Taper (In. x TPI)	MT-4
Spindle Travel Auto (In.)	60-2,000
Spindle Travel (In.)	6
Style (Type)	Variable Speed

Swing (In.)	20
T-Slot Centers (In.)	7-7/16
T-Slots Number and Size (In.)	3 - 5/8
Table Size (L x W) (In.)	22x18-3/4
Table Travel (In.)	20
Tapping Capacity Cast Iron (In.)	1
Tapping Capacity Mild Steel (In.)	1
Weight (Lbs.)	847
Work Table Weight Capacity (Lbs.)	154

